

Table 1**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015				2015 Spots	2016				Predictions
		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day	
OK	Hochatown (Tiak) R.D.	3	0%	0	4.5	0	N.D.				
	Battieste Co.	3	0%	0	11.6	0	N.D.				
	McCurtain Co.	3	0%	0	4.1	0	4	0%	0.0	3	S/L
OK STATE AVERAGE		9	0%	0	6.7	0	4	0%	0.0	3	S/L
AR	Caddo R. D.	3	0%	0	2.3	0	3	0%	0.0	8	S/L
	Mena R. D.	3	0%	0	2.1	0	3	0%	0.0	3.2	S/L
	Oden R. D.	3	0%	0	1.3	0	3	0%	0.0	2.3	S/L
	Womble R.D.	2	0%	0	11.5	0	1	0%	0.0	1.6	S/L
	Ashley Co.	4	0%	0	6.2	0	N.D.				S/L
	Clark Co.	3	0%	0	3.3	0	N.D.				S/L
	Columbia Co.	3	0%	0	4.7	0	N.D.				S/L
	Drew Co.	4	0%	0	2.1	0	N.D.				S/L
	Nevada Co.	3	0%	0	10.3	0	N.D.				S/L
AR STATE AVERAGE		28	0%	0	4.9	0	10	0%	0.0	3.8	S/L
TX	Angelina N. F.	2	0%	0	7.7	0	3	0%	0.0	2.3	S/L
	Davy Crockett N. F.	6	0%	0	8.7	0	6	0%	0.0	1.3	S/L
	Sabine N. F.	6	0%	0	6.5	0	6	0%	0.0	1.2	S/L
	Sam Houston N. F.	6	0%	0	3.8	0	6	0%	0.0	0.9	S/L
	Big Thicket Hardin Co.	1	0%	0	2.2	0	1	0%	0.0	0.1	S/L
	Big Thicket Polk Co.	1	0%	0	0.3	0	1	0%	0.0	0.1	S/L
	Big Thicket Tyler Co.	1	0%	0	1	0	1	0%	0.0	0.1	S/L
	Angelina Co.	3	0%	0	11.7	0	3	0%	0.0	3.6	S/L
	Jasper Co.	3	0%	0	2.1	0	3	0%	0.0	0.5	S/L
	Nacogdoches Co.	2	0%	0	10.2	0	2	0%	0.0	7.4	S/L
	Newton Co.	3	0%	0	5.3	0	3	0%	0.0	0.6	S/L
	Polk Co.	4	0%	0	15.2	0	3	0%	0.0	3.7	S/L
	Sabine Co.	2	0%	0	3.3	0	2	0%	0.0	0.6	S/L
	San Augustine Co.	2	0%	0	3.9	0	2	0%	0.0	0.6	S/L
Shelby Co.	2	0%	0	13	0	2	0%	0.0	1.1	S/L	
Trinity Co.	3	0%	0	27.5	0	3	0%	0.0	2.3	S/L	

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015			2015 Spots	2016			Predictions		
		# of traps	%SPB	SPB/ trap/day		Clerids/ trap/day	# of traps	%SPB		SPB/ trap/day	Clerids/ trap/day
	Tyler Co.	4	0%	0	6.5	0	3	0%	0.0	0.5	S/L
TX STATE AVERAGE		51	0%	0	7.2	0		0%	0.0	1.6	S/L
LA	Calcasieu R. D.	3	0%	0	2.8	0	3	0%	0.0	0.5	S/L
	Catahoula R. D.	3	0%	0	2.6	0	3	0%	0.0	0.8	S/L
	Caney RD					0	3	0%	0.0	1.5	S/L
	Kisatchie R. D.	3	0%	0	2.8	0	3	0%	0.0	0.5	S/L
	Winn R. D.	3	0%	0	0.3	0	3	0%	0.0	0.2	S/L
	Allen Pa.					0	2	0%	0.0	0.2	S/L
	Beauregard Pa.					0	2	0%	0.0	0.1	S/L
	Bienville Pa.					0	1	0%	0.0	0.5	S/L
	Bossier Pa.					0	1	0%	0.0	0.6	S/L
	Caddo Pa.					0	4	0%	0.0	0.2	S/L
	Calcasieu Pa.					0	1	0%	0.0	0.1	S/L
	Caldwell Pa.					0	1	11%	0.0	0.3	S/L
	Catahoula PA. (Sicily Island -TFS 3/1-3/29)					0	2	43%	0.7	1	S/L
	Claiborne Pa.					0	1	0%	0.0	0	S/L
	De Soto Pa.					0	2	5%	0.0	0.3	S/L
	East Feliciana Pa.					0	1	0%	0.0	0.4	S/L
	Evangelina Pa.					0	2	7%	0.1	0	S/L
	Franklin Pa.					0	3	15%	0.4	2.5	S/L
	Jackson Pa.					0	1	0%	0.0	0.5	S/L
	La Salle Pa.					0	1	17%	0.0	0.2	S/L
	Morehouse Pa.	2	0%	0	14.3	0	1	0%	0.0	0.5	S/L
	Natchitoches Pa.					0	2	0%	0.0	0.4	S/L
	Rapides Pa.					0	2	6%	0.0	0.3	S/L
	Red River Pa.					0	1	0%	0.0	1.1	S/L
	Sabine Pa.					0	2	7%	0.0	0.5	S/L
	St. Helena Pa.					0	2	9%	0.1	1.3	S/L
	St. Tammany Pa.					0	2	0%	0.0	0.4	S/L
	Union Pa.					0	1	0%	0.0	0.2	S/L
	Vernon Pa.					0	2	0%	0.0	0.2	S/L

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015				2015 Spots	2016				Predictions
		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day	
	West Feliciana Pa.					0	1	88%	1.5	0.2	I/L
	LA STATE AVERAGE	14	0%	0	5.7	0	56	15%	0.1	0.6	S/L
MS	Bienville N. F. (3/21 - 4/18)	3	33%	2.5	5		3	41%	2.6	3.9	
	Bienville N. F. (TFS 3/1-3/29))	3	46%	7.1	8.5	238	2	64%	12.7	7.2	I/M
	Chickasawhay R.D.	3	0%	0	4.9	0	3	0%	0.0	2.1	S/L
	Desoto N. F.	3	0%	0	1.1	0	3	0%	0.0	2.7	S/L
	Holly Springs R.D.	3	23%	1.4	4.8	0	3	27%	1.7	4.5	S/L
	Homochitto N.F. (3/28- 4/25)	6	11%	1.5	12.3	91	6	63%	7.6	4.5	
	Homochitto NF (TFS 3/1-3/29)						2	86%	10.2	1.7	I/M
	Tombigbee R. D.	3	3%	0.3	11.9	2	3	10%	2.3	21	S/L
	Amite Co.	1	28%	5.9	15.5	0	1	79%	2.8	0.8	S/L
	Chickasaw Co.	2	25%	0.4	19.5	0	2	9%	2.4	23.5	S/L
	Copiah Co.	4	29%	0.4	1	0	4	5%	0.3	5.5	S/L
	Desoto Co.						1	0%	0.0	1.1	S/L
	Forrest Co.	4	0%	0	2.4	0	4	1%	0.0	0.7	S/L
	Franklin Co.	2	2%	0.3	14.3	0	2	73%	17.4	6.3	I/M
	Itawamba Co.	4	0%	0	5.4	0	3	7%	0.4	5.3	S/L
	Leake Co.	4	2%	0.1	3.8	0	4	4%	0.3	8	S/L
	Lincoln Co.	4	7%	0.2	3.2	0	4	93%	66.9	5.2	I/H
	Marion Co.	4	3%	0.1	0.3	0	4	0%	0.0	0.7	S/L
	Montgomery Co.	4	0%	0	2.8	0	4	0%	0.0	7.3	S/L
	Panola Co.	4	0%	0	1.1	0	3	0%	0.0	1.9	S/L
	Scott Co.	4	1%	0	1.1	2	4	32%	1.9	4	S/L
	Simpson Co.						4	2%	0.0	1.1	S/L
	Smith Co.	4	9%	0.7	7.1	1	4	59%	9.7	6.7	I/L
	Stone Co.	4	5%	0.1	1	0	4	0%	0.0	0.5	S/L
	Tishimingo Co.	4	5%	0.4	7.8	0	3	15%	2.3	12.9	S/L
	Wilkinson Co.	1	3%	0.1	4.5	0	1	25%	1.7	5	S/L
	Winston County	4	4%	0.3	8	0	4	20%	3.9	15.5	S/L
	MS STATE AVERAGE	82	13%	0.9	5.9	335		48%	5.4	5.9	I/L-M

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015				2015 Spots	2016				Predictions
		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day	
AL ¹	Bankhead R. D.	3	22%	0.5	1.6	0	3	18%	0.8	3.5	S/L
	Oakmulgee R. D.	3	4%	0.6	12.9		6	17%	4.6	22.7	
	Oakmulgee (TFS3/1-3/29))	3	66%	10.7	5.5	10	2	64%	12.7	7.2	I/M
	Shoal Creek R. D.	3	28%	2	5.2	0	3	23%	2.4	8	S/L
	Talladega R.D.	3	0%	0	1	0	3	22%	0.8	2.8	S/L
	Barbour Co.	3	44%	5.3	6.8	4	3	62%	5.0	3.1	I/L
	Lowndes Co.	3	7%	0.3	4	33	3	14%	0.4	2.6	S/L
	Monroe Co.	3	9%	0.2	2	0	3	61%	1.9	1.2	I/L
	Tallapoosa Co.	3	10%	0.2	1.4	1	3	50%	1.2	1.2	S/L
AL STATE AVERAGE		27	33%	2.2	4.5	388	29	36%	3.3	5.8	I/L
GA	Ft Stewart Army Base	3	8%	0.4	4.6	2	3	37%	1.1	1.9	S/L
	Conasauga R.D.	3	15%	0.6	3.4	0	3	45%	1.1	1.4	S/L
	Oconee R.D.	3	3%	0	0.3	0	3	14%	1.1	6.6	S/L
	Chattooga River R.D.	3	33%	2.4	3.5	0	3	55%	1.9	1.5	S/L
	Baldwin Co.	1	3%	0.1	3.1	0	1	21%	0.3	1.1	S/L
	Bulloch Co.	2	22%	0.1	0.8	0	2	20%	0.1	0.3	S/L
	Carroll Co.	1	0%	0	1	0	1	0%	0.0	1.4	S/L
	Clarke Co.	1	0%	0	5.7	0	1	6%	0.3	3.8	S/L
	Dawson Co.	1	14%	0.4	2.3	0	1	0%	0.0	0.2	S/L
	Dodge Co.						1	0%	0.0	0.1	S/L
	Gilmer Co.						1	0%	0.0	0.3	S/L
	Greene Co.	1	4%	0.5	11.6	0	1	21%	0.9	3.3	S/L
	Griffen Co.						1	0%	0.0	0.1	S/L
	Habersham Co.	1	18%	0.1	0.6	0	1	14%	0.0	0.2	S/L
	Haralson Co.	1	0%	0	2.3	0	1	0%	0.0	1.5	S/L
	Harris Co.						2	0%	0.0	0.9	S/L
	Hawkin Co.						2	0%	0.0	1.4	S/L
	Holcolm Co.						1	14%	0.0	0.2	S/L
Jackson Co.	1	7%	0.1	0.9	0	1	0%	0.0	0.5	S/L	
Jones Co.	1	4%	0.4	10.9	0	2	0%	0.2	5.6	S/L	
Marion Co.						1	65%	0.3	0.2	S/L	
Muscogee Co.	1	4%	0.1	1.5	0	1	0%	0.0	1.9	S/L	

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015				2015 Spots	2016				Predictions
		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day	
	Oconee Co.	1	1%	0	5.6	0	1	10%	0.1	0.6	S/L
	Oglethorp Co.	1	1%	0.1	21	0	1	1%	0.1	5.5	S/L
	Putnam Co.	1	2%	0.2	7.9	0	1	29%	0.4	1	S/L
	Quitman Co.	1	3%	0.1	5.3	0	1	11%	0.1	0.2	S/L
	Randolph Co.	1	0%	0	4.7	0	2	10%	0.1	0.6	S/L
	Stewart Co.	3	2%	0.1	3.3	0	2	46%	0.5	0.6	S/L
	Talbot Co.	2	3%	0.1	2.7	0	2	0%	0.0	1.4	S/L
	Twiggs Co.	1	3%	0	1.5	0	1	4%	0.0	0.9	S/L
	Upton Co.						2	15%	0.1	0.4	S/L
	Walton Co.						1	0%	0.0	0.8	S/L
	Webster Co.	1	1%	0	2.8	0	1	25%	0.1	0	S/L
	Wilcox Co.	3	22%	0.2	0.8	0	2	0%	0.0	0.7	S/L
GA STATE AVERAGE		39	11%	0.1	2.5	50	51	16%	0.3	1.4	S/L
KY	London R. D.	2	0%	0	1.7	0	N.D.				
	Stearns RD	2	0%	0	0.5	0	3	0%	0.0	0.5	S/L
KY STATE AVERAGE		2	0%	0	1.1	0	3	0%	0.0	0.5	S/L
TN	Nolichucky/Unaka R. D.	3	0%	0	0.1	0	N.D.				
	Ocoee R. D.	3	0%	0	3.4	0	3	0%	0.0	1.1	S/L
	Chester Co.	2	0%	0	6.3	0	N.D.				
	Marion Co.	2	0%	0	0.2	0	N.D.				
	Rhea Co.	2	0%	0	0.3	0	N.D.				
	Wayne Co.	2	0%	0	1.3	0	N.D.				
TN STATE AVERAGE		14	0%	0	1.9	0	3	0%	0.0	1.1	S/L
VA	New Castle R. D.	3	0%	0	1.4	0	3	0%	0.0	0.5	S/L
	Appomattox Co.	4	0%	0	3.8	0	4	0%	0.0	2.1	S/L
	Chesterfield Co.	3	3%	0.7	20	0	3	19%	1.6	6.8	S/L
	Cumberland Co.	4	0%	0.1	16.9	0	4	10%	0.5	5.3	S/L
	Prince Edward	4	1%	0	4	0	4	0%	0.0	0.9	S/L
VA STATE AVERAGE		18	2%	0.2	9.2	9	18	11%	0.4	3.1	S/L

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015				2015 Spots	2016				Predictions
		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day	
FL	Alachua Co.	3	60%	0.3	0.2	1	3	100%	0.7	0	S/L
	Baker Co.	1	89%	0.6	0.1	1	1	54%	1.1	0.9	S/L
	Bradford-Union Co.	1	62%	0.6	0.4	0	1	77%	1.4	0.4	S/L
	Clay Co.	1	13%	1	6.6	0	1	33%	1.4	2.8	S/L
	Columbia Co.	3	9%	0.2	1.8	0	3	60%	0.5	0.4	S/L
	Duval Co.	1	26%	3.5	9.7	1	1	12%	0.4	3	S/L
	Gadsden Co.	2	32%	0.1	0.3	0	2	78%	0.4	0.1	S/L
	Hamilton Co.	2	17%	0.3	1.6	0	2	75%	2.2	0.7	S/L
	Hernando Co.	1	100%	0.1	0	0	1	100%	0.6	0	S/L
	Holmes Co.	1	0%	0	6.1	0	1	0%	0.0	2	S/L
	Jackson Co.	1	3%	0.3	8.8	0	1	15%	0.1	0.4	S/L
	Jefferson Co.	1	0%	0	0.4	0	1	100%	0.1	0	S/L
	Lake Co.	1	0%	0	4.1	0	1	0%	0.0	0.1	S/L
	Leon Co.	1	21%	0.3	1	0	1	11%	0.0	0.3	S/L
	Levy Co.	1	8%	0.1	0.9	0	1	83%	1.2	0.2	S/L
	Madison Co.	1	0%	0	0.2	0	1	57%	0.1	0.1	S/L
	Marion Co.	3	24%	0.2	0.5	0	3	59%	0.2	0.1	S/L
	Nassau Co.	2	71%	0.3	0.1	2	2	90%	1.7	0.2	S/L
	Okaloosa Co.	2	0%	0	4.2	0	2	0%	0.0	3.4	S/L
	Orange Co.	1	0%	0	0.1	0	1	0%	0.0	0	S/L
Putnam Co.	1	37%	1.8	3.1	4	1	68%	7.5	3.5	I/L-M	
Seminole Co.	1	92%	0.4	0.1	0	1	0%	0.0	0	S/L	
St Johns	1	80%	4.1	1	0	1	83%	2.6	0.5	S/L	
Suwannee Co.	2	50%	0.1	0.1	0	2	73%	0.5	0.2	S/L	
Walton Co.	1	0%	0	1.3	0	1	0%	0.0	0	S/L	
Washington Co.	1	0%	0	0.4	0	1	0%	0.0	0.1	S/L	
FL STATE AVERAGE		37	21%	0.6	2.0	11	37	54%	0.9	0.7	S/L
SC	Enoree R. D.	3	0%	0	4	0	3	1%	0.0	3.8	S/L
	Francis Marion N.F.	3	1%	1.3	20.2	0	3	5%	0.1	1.3	S/L
	Long Cane R. D.	3	9%	1.7	15.9	0	3	20%	1.1	4.2	S/L
	Savannah River Site	3	0%	0.1	23.6	0	3	0%	0.0	8.4	S/L
	Abbeville Co.	3	7%	0.5	6.5	0	3	0%	0.0	1	S/L

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015			2015 Spots	2016			Predictions		
		# of traps	%SPB	SPB/ trap/day		Clerids/ trap/day	# of traps	%SPB		SPB/ trap/day	Clerids/ trap/day
	Anderson Co.	3	0%	0	0.6	0	3	10%	0.0	1.2	S/L
	Beaufort Co.	3	0%	0	0.1	0	3	67%	0.0	0	S/L
	Berkeley Co.	3	1%	0.1	1.8	0	3	2%	0.0	0.7	S/L
	Charleston Co.	3	1%	0.1	3.7	0	3	2%	0.0	0.7	S/L
	Cherokee Co.	3	0%	0	0.8	0	3	0%	0.0	0.5	S/L
	Chester Co.	3	0%	0	1.2	0	3	0%	0.0	1.3	S/L
	Colleton Co.	3	0%	0	1.4	0	3	0%	0.0	0.2	S/L
	Dorchester Co.	3	0%	0	3.8	0	3	3%	0.0	0.4	S/L
	Edgefield Co.	3	1%	0.1	4	0	3	43%	1.4	1.8	S/L
	Fairfield Co.	3	1%	0.1	13.4	0	3	0%	0.0	4	S/L
	Florence Co.	3	1%	0	2	0	3	0%	0.0	0.2	S/L
	Georgetown Co.	3	4%	0.1	2.3	0	3	0%	0.0	0.2	S/L
	Greenville Co.	3	0%	0	0.9	0	3	0%	0.0	5	S/L
	Greenwood Co.	3	1%	0	2.1	0	3	3%	0.0	0.8	S/L
	Hampton Co.	3	0%	0	0.5	0	3	0%	0.0	0.7	S/L
	Horry Co.	3	0%	0	0.3	0	3	0%	0.0	0.1	S/L
	Jasper Co.	3	0%	0	0.3	0	3	0%	0.0	0.1	S/L
	Kershaw Co.	3	0%	0	3.3	0	3	0%	0.0	1.5	S/L
	Lancaster Co.	3	0%	0	2.9	0	3	0%	0.0	1.1	S/L
	Laurens Co.	3	0%	0	0.6	0	3	0%	0.0	1	S/L
	Lexington Co.	3	0%	0	3	0	3	0%	0.0	0.5	S/L
	McCormick Co.	3	1%	0.1	8.6	0	3	17%	0.2	1.4	S/L
	Newberry Co.	3	0%	0.1	5.2	0	3	2%	0.0	1.5	S/L
	Oconee Co.	3	0%	0	1.5	0	3	64%	1.8	2.7	I/L
	Pickens Co.	3	4%	0.1	2.7	0	3	33%	0.6	1.3	S/L
	Richland Co.	3	0%	0	1.5	0	3	0%	0.0	0.4	S/L
	Saluda Co.	3	0%	0	6.6	0	3	0%	0.0	1.7	S/L
	Spartanburg Co.	3	1%	0.1	2.4	0	3	1%	0.0	1	S/L
	Union Co.	3	0%	0	2.4	0	3	0%	0.0	4.5	S/L
	Williamsburg Co.	3	2%	0.1	1	0	3	0%	0.0	0.3	S/L
	York Co.	3	0%	0	0.7	0	3	1%	0.0	0.8	S/L
SC STATE AVERAGE		108	2%	0.1	4.2	0	108	9%	0.1	1.6	S/L

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015				2015 Spots	2016				Predictions
		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day		# of traps	%SPB	SPB/ trap/day	Clerids/ trap/day	
NC	Appalachian R. D.	3	0%	0	1.3	0	3	3%	0.1	2.7	S/L
	Croatan N. F.	3	9%	0.6	6.1	0	3	26%	0.5	1.4	S/L
	Cheoah R.D.	3	0%	0	0.2	0	3	73%	3.2	1.2	I/L
	Grandfather R. D.	3	0%	0	0.9	0	3	0%	0.0	1	S/L
	Uwharrie R. D.	3	0%	0	1.2	0	3	0%	0.0	1.2	S/L
	Alligator River NWR					0	3	5%	0.1	0.7	S/L
	Beaufort & Craven Co.	3	31%	0.7	1.5	0	3	0%	0.0	0.2	S/L
	Bertie Co.	3	0%	0	2.1	0	3	0%	0.0	2	S/L
	Brunswick Co.	3	0%	0	0.4	0	3	0%	0.0	1.9	S/L
	Davidson Co.	3	0%	0	2.1	0	3	0%	0.0	3	S/L
	Macon Co.	3	0%	0	1.1	0	3	42%	0.4	0.6	S/L
	Madison Co.	3	2%	0	0.5	0	3	38%	0.7	1.2	S/L
	Nash Co.	3	0%	0	7.2	0	3	0%	0.0	2.4	S/L
	Sampson Co.	3	0%	0	0.4	0	3	11%	0.1	0.5	S/L
	Wilkes Co.	3	0%	0	0.2	0	3	0%	0.0	0	S/L
NC STATE AVERAGE		42	1%	0.1	1.5	0	45	19%	0.3	1.3	S/L
MD	Calvert Co.	1	0%	0	0.3	0	1	0%	0.0	0.4	S/L
	Charles Co.	1	1%	0	2.1	0	1	0%	0.0	0.4	S/L
	Dorchester Co.	3	49%	0.8	0.8	0	5	38%	2.7	4.4	I/L
	Prince George	1	1%	0	2	0	1	3%	0.0	1	S/L
	Somerset Co.	3	7%	0.2	2.2	0	3	85%	2.0	0.3	I/L
	St. Mary Co.	1	5%	0.2	3.5	0	1	19%	0.6	2.5	S/L
	Talbot Co.	3	10%	0.1	1.1	0	3	8%	0.1	0.8	S/L
	Worchester Co.	3	24%	1.2	3.9	0	3	29%	0.6	1.6	S/L
MD State Average		16	13%	0.3	2.0	0	18	36%	0.8	1.4	I/L
DE	Sussex Co.	4	5%	0.1	1.6	1	0.1	12%	0.1	0.5	S/L
DE STATE AVERAGE		4	5%	0.1	1.6	1	0.1	12%	0.1	0.5	S/L

⁶ D=Declining, S=Static, I=Increasing

**Southern Pine Beetle Predictions
for 2016**

Compiled by Ron Billings, TFS,
based on data received
from Southwide cooperators
as of June 1, 2016

State	Location	2015			2015 Spots	2016			Predictions
		# of traps	%SPB	SPB/ trap/day		Clerids/ trap/day	# of traps	%SPB	

⁷ L=Low, M=Moderate, H=High, O=Outbreak

*2016 Lures = Sirex lure (70% alpha-pine, 30% beta-pinene) used on all traps (with 2 frontal capsules).

** Standard lure (Sirex + frontal) plus *endo* -brevicommin

N. D. = No data